

PROOWOOD

— ORMAN ÜRÜNLERİ —
FOR EXPORT - IMPORT



SPC FLOORING
CATALOG

CLASSIC SERIES

LENGTH: 1 220, 1 540, 1 840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM



HANDSCRAPED SURFACE

WIREBRUSH SURFACE



BP SURFACE



DITAL SPG

- WATERPROOF
- LOW MAINTENANCE
- ACOUSTICAL ATTRIBUTES
- DURABLE
- HYGIENIC
- PET FRIENDLY
- KID FRIENDLY



EIR M SERIES

LENGTH: 1 220, 1 540, 1 840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM



M-2 M-4 M-5 M-7 M-23

PROOWOOD

ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT

EIR L SERIES



L-1
L-6
L-8
L-10
L-15
L-28

LENGTH: 1220, 1540, 1840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM





W-2



W-3



W-7



W-9



EIR W SERIES

LENGTH: 1220, 1540, 1840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM

EIR R SERIES


LENGTH: 1220, 1540, 1840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM



R-8



R-10



EIR K SERIES

LENGTH: 1220, 1540, 1840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM



K-1



K-2



K-4



K-5



K-9



K-12



PROOWOOD

ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT

EIR Y SERIES



LENGTH:1220,1540,1840MM WIDTH:150,180,230MM THICKNESS:4,5,6MM



Y-2



Y-5

EIR P SERIES

LENGTH:1220,1540,1840MM
WIDTH:150,180,230MM
THICKNESS:4,5,6MM



-3



P-4




P-8



P-9



P-10





PROWOOD

ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT

EIR N SERIES

LENGTH: 1220, 1540, 1840MM
WIDTH: 150, 180, 230MM
THICKNESS: 4, 5, 6MM



N-1



N-2



N-4



N-6



N-9





PROOWOOD

ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT

EIR X SERIES

LENGTH: 1,01 40,1840MM
WIDTH: 1,0180, 30MM
THICKNESS: 4,6MM




X-5



X-6



X-11



X-15



X-17





63003-1



2119-01



65004-2




244-1



244-06



120-4



STONE TILE SERIES

LENGTH:610MM
 WIDTH:305MM
 THICKNESS:4,5,6MM



123-4



124-1



125-2



533-03

Loading Details

Specification (mm)	pcs/ctn	row/plt	layer/plt	ctn/plt	plt/ 20' GP	sqm/ctn	Wt./ctn (Kg)	N.W. 20'GP	G.W. 20'GP	Sqm 20'GP
1220*150*4mm	12	6	10	60	20	2.196	17.57	21081.60	21581.60	2635.20
1220*150*4mm+1.5mm pad	12	6	9	54	20	2.196	18.23	19684.94	20184.94	2371.68
1220*180*4mm	12	5	10	50	20	2.6352	21.08	21081.60	21581.60	2635.20
1220*180*4mm+1.5mm pad	10	5	11	55	20	2.196	18.23	20049.48	20549.48	2415.60
1540*180*4mm	10	5	15	75	12	2.772	22.18	19958.40	20458.40	2494.80
1540*180*4mm+1.5mm pad	10	5	14	70	12	2.772	23.01	19326.38	19826.38	2328.48
1540*230*4mm	10	3	12	36	20	3.542	28.34	20401.92	20901.92	2550.24
1540*230*4mm+1.5mm pad	8	3	15	45	20	2.8336	23.52	21166.99	21666.99	2550.24
1840*230*4mm	8	4	16	64	12	3.3856	27.08	20801.13	21301.13	2600.14
1840*230*4mm+1.5mm pad	8	4	15	60	12	3.3856	28.10	20232.35	20732.35	2437.63
1220*150*5mm	10	6	9	54	20	1.83	18.30	19764.00	20264.00	1976.40
1220*150*5mm+1.5mm pad	8	6	9	54	20	1.464	15.08	16285.54	16785.54	1581.12
1220*180*5mm	10	5	9	45	20	2.196	21.96	19764.00	20264.00	1976.40
1220*180*5mm+1.5mm pad	8	5	11	55	20	1.7568	18.10	19904.54	20404.54	1932.48
1540*180*5mm	8	5	15	75	12	2.2176	22.18	19958.40	20458.40	1995.84
1540*180*5mm+1.5mm pad	8	5	14	70	12	2.2176	22.84	19186.68	19686.68	1862.78
1540*230*5mm	8	3	12	36	20	2.8336	28.34	20401.92	20901.92	2040.19
1540*230*5mm+1.5mm pad	8	3	11	33	20	2.8336	29.19	19262.81	19762.81	1870.18
1840*230*5mm	6	4	16	64	12	2.5392	25.39	19501.06	20001.06	1950.11
1840*230*5mm+1.5mm pad	6	4	16	64	12	2.5392	26.15	20086.09	20586.09	1950.11

ACCESSORIES



T-molding
Size:2400X45X8MM(25pcs/ctn)
Weight:0.85kg/pc



Reducer
Size:2400X45X10MM(25pcs/ctn)
Weight:1.05kg/pc



End-cap
Size:2400X35X10MM(25pcs/ctn)
Weight:0.95kg/pc



Wallboard
Size:2400*80*12MM(10pcs/ctn)
Weight:1.55kg/pc



Flush Stairnose
Size:2400*75*25MM(10pcs/ctn)
Weight:1.5kg/pc



Stairnose
Size:2400X55X18MM(10pcs/ctn)
Weight:1.45kg/pc



Quarter Round
Size:2400X25X12MM(40pcs/ctn)
Weight:0.55kg/pc



Skirting 80
Size:2400*80*12MM
(10PCS/BOX)
Weight:14kg/cartion



115mm Flush Stair Nose
Size:2400*115*25MM
(6PSC/BOX)
Weight:9kg/cartion



Stair Nose
Size:2400*53*18MM
(10PSC/BOX)
Weight:9.5kg/cartion



T-moulding
Size:2400*45*10MM
(20PSC/BOX)
Weight:9kg/cartion



Reducer
Size:2400*45*10MM
(20PSC/BOX)
Weight:10kg/cartion



Quarter Round
Size:2400*28*15MM
(30PSC/BOX)
Weight:9kg/cartion



End-Cap
Size:2400*35*10MM
(20PSC/BOX)
Weight:8kg/cartion



Skirting 60
Size:2400*60*12MM
(10PCS/BOX)
Weight:11kg/cartion

PROOWOOD

ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT

REACH US



MERKEZ FABRİKALAR
Mah HASAN TAHSİN Cd
N1/6 KEPEZ ANTALYA



+90 539 552 1799
+90 532 499 9127



WWW.PROOWOOD.COM